

Counter Graphics: Symphony Counter

(2) prints make (1) complete graphic
Total Graphic Area: 29" w X 46.11" h
Total Visual Area: 25" w X 42.11" h

If designing for an OVAL

Code: SYM-OV

(2) prints to make (1) complete graphic

If designing for a RECTANGLE

Code: SYM-RCT

(2) prints to make (1) complete graphic

If designing for a BULLET

Code: SYM-BLLT

(2) prints to make (1) complete graphic

If designing for an OVAL DOUBLE GRAND

Code: SYM-OV-DBL-GRND

(4) prints to make (2) complete graphics

If designing for a 3 QUAD KIT

Code: SYM-OD-3


(6) prints to make (3) complete graphics

Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area for front).


General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print


OVAL




RECTANGLE




BULLET



OVAL DOUBLE GRAND



3 QUAD KIT



SIDE 1

bleed area —
trim line —
safe area —

SIDE 2

bleed area —
trim line —
safe area —


Counter Graphics: Symphony Counter

(2) prints make (1) complete graphic
Total Graphic Area: 29" w X 46.11" h
Total Visual Area: 25" w X 42.11" h

If designing for an OVAL

Code: SYM-OV


(2) prints to make (1) complete graphic



If designing for a RECTANGLE

Code: SYM-RCT


(2) prints to make (1) complete graphic



If designing for a BULLET

Code: SYM-BLLT


(2) prints to make (1) complete graphic



If designing for an OVAL DOUBLE GRAND

Code: SYM-OV-DBL-GRND


(4) prints to make (2) complete graphics



If designing for a 3 QUAD KIT

Code: SYM-OD-3

(6) prints to make (3) complete graphics




Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area for front).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

SIDE 1

bleed area
trim line
safe area



SIDE 2

bleed area
trim line
safe area